

県森連林業センター 木材市況

平成 23年9月15日

樹種	長さ m	末口径 cm	価格 1㎡当り			気配	摘要
			高値	中値	安値		
す ぎ	3.0	14	8,000	7,000	6,000	○	柱目3.5寸
		16~18	11,000	10,000	8,000	○	" 4寸
		20~	12,000	10,000	8,000	○	中目
	4.0	11~13	8,000	7,000	6,000	○	母屋取り
		14	10,000	9,000	7,000	○	桁目3.5寸
		16~18	11,000	10,000	9,000	○	" 4寸
		20~22	12,000	10,000	9,000	○	中目
		24~28	13,000	11,000	9,000	○	"
		30~	15,000	12,000	10,000	○	"
	6.0	30~	40,000	20,000	16,000	○	元玉選木
16~18		14,000	12,000	11,000	○	通し柱4寸	
		20~22	14,000	12,000	11,000	○	" 5寸
ひ の ぎ	2.0	20~	40,000	10,000	6,000	○	
	3.0	14	15,000	13,000	11,000	▼	柱目3.5寸
		16~18	20,000	18,000	16,000	○	" 4寸
		20~22	20,000	16,000	15,000	○	中目
		24~28	22,000	16,000	14,000	○	"
		30~	50,000	30,000	25,000	○	元玉選木
	4.0	11~13	10,000	9,000	8,000	▼	母屋取り
		14	15,000	13,000	11,000	▼	土台目3.5寸
		16~18	20,000	18,000	16,000	○	" 4寸
		20~22	22,000	17,000	16,000	○	中目
		24~28	25,000	17,000	15,000	○	"
		30~	30,000	17,000	15,000	○	"
		30~	100,000	50,000	40,000	○	元玉選木
	6.0	16~18	30,000	26,000	20,000	○	通し柱4寸
		20~22	27,000	23,000	20,000	○	" 5寸

△ 強気配 ○ 保合 ▼ 弱気配

県森連林業センター 木材市況

平成 23年10月13日

樹種	長さ m	末口径 cm	格 1m ³ 当り			気配	摘要
			高値	中値	安値		
す き	3.0	14	11,000	9,000	7,000	△	柱目3.5寸
		16~18	12,000	10,000	8,000	○	" 4寸
		20~	12,000	10,000	8,000	○	中目
	4.0	11~13	11,000	9,000	7,000	△	母屋取り
		14	11,000	9,000	8,000	○	桁目3.5寸
		16~18	11,000	10,000	8,000	○	" 4寸
		20~22	12,000	10,000	8,000	○	中目
		24~28	14,000	11,000	9,000	○	"
		30~	18,000	12,000	10,000	○	"
	6.0	16~18	40,000	20,000	16,000	○	元玉選木
20~22		14,000	12,000	11,000	○	通し柱4寸	
ひ の き	2.0	20~	40,000	10,000	6,000	○	
	3.0	14	15,000	13,000	11,000	○	柱目3.5寸
		16~18	20,000	18,000	16,000	○	" 4寸
		20~22	20,000	16,000	15,000	○	中目
		24~28	22,000	16,000	14,000	○	"
		30~	50,000	30,000	25,000	○	元玉選木
	4.0	11~13	10,000	9,000	8,000	○	母屋取り
		14	16,000	13,000	11,000	○	土台目3.5寸
		16~18	20,000	18,000	17,000	○	" 4寸
		20~22	22,000	17,000	16,000	○	中目
24~28		25,000	17,000	15,000	○	"	
30~		30,000	17,000	15,000	○	"	
30~		95,000	50,000	40,000	○	元玉選木	
6.0	16~18	30,000	26,000	20,000	○	通し柱4寸	
	20~22	27,000	23,000	20,000	○	" 5寸	

△ 強気配 ○ 保合 ▼ 弱気配

県森連林業センター 木材市況

平成 23年11月17日

樹種	長さ m	末口径 cm	価格 1㎡当り			気配	摘要
			高値	中値	安値		
す き	3.0	14	10,000	9,000	7,000	○	柱目3.5寸
		16~18	11,000	10,000	8,000	○	" 4寸
		20~	12,000	11,000	8,000	△	中目
	4.0	11~13	9,000	8,000	7,000	▼	母屋取り
		14	10,000	9,000	8,000	○	桁目3.5寸
		16~18	11,000	10,000	8,000	○	" 4寸
		20~22	12,000	11,000	8,000	△	中目
		24~28	14,000	12,000	9,000	△	"
		30~	18,000	13,000	10,000	△	"
	6.0	30~	26,000	20,000	16,000	○	元玉選木
16~18		14,000	12,000	11,000	○	通し柱4寸	
		20~22	14,000	12,000	11,000	○	" 5寸
ひ の き	2.0	20~	45,000	10,000	6,000	○	
	3.0	14	15,000	13,000	11,000	○	柱目3.5寸
		16~18	20,000	19,000	16,000	△	" 4寸
		20~22	21,000	18,000	15,000	△	中目
		24~28	23,000	17,000	14,000	△	"
		30~	50,000	30,000	25,000	○	元玉選木
	4.0	11~13	10,000	9,000	8,000	○	母屋取り
		14	16,000	13,000	11,000	○	土台目3.5寸
		16~18	22,000	19,000	17,000	△	" 4寸
		20~22	22,000	18,000	16,000	△	中目
		24~28	25,000	17,000	15,000	○	"
		30~	30,000	17,000	15,000	○	"
		30~	96,000	50,000	38,000	○	元玉選木
	6.0	16~18	30,000	26,000	20,000	○	通し柱4寸
		20~22	27,000	23,000	20,000	○	" 5寸

△ 強気配 ○ 保合 ▼ 弱気配

県森連林業センター 木材市況

平成 23年12月8日

樹種	長さ m	末口径 cm	価格 1㎡当り			気配	摘要
			高値	中値	安値		
す き	3.0	14	10,000	9,000	7,000	○	柱目3.5寸
		16~18	11,000	10,000	10,000	○	" 4寸
		20~	13,000	11,000	10,000	○	中目
	4.0	11~13	9,000	8,000	7,000	○	母屋取り
		14	10,000	9,000	8,000	○	桁目3.5寸
		16~18	11,000	10,000	10,000	○	" 4寸
		20~22	12,000	11,000	10,000	○	中目
		24~28	14,000	12,000	10,000	○	"
		30~	18,000	13,000	10,000	○	"
	6.0	30~	30,000	20,000	16,000	○	元玉選木
16~18		14,000	12,000	11,000	○	通し柱4寸	
		20~22	14,000	12,000	11,000	○	" 5寸
ひ の き	2.0	20~	45,000	10,000	6,000	○	
	3.0	14	15,000	13,000	11,000	○	柱目3.5寸
		16~18	22,000	19,000	16,000	○	" 4寸
		20~22	21,000	18,000	15,000	○	中目
		24~28	23,000	17,000	15,000	○	"
		30~	50,000	30,000	25,000	○	元玉選木
	4.0	11~13	10,000	9,000	8,000	○	母屋取り
		14	16,000	13,000	11,000	○	土台目3.5寸
		16~18	23,000	19,000	17,000	○	" 4寸
		20~22	22,000	18,000	16,000	○	中目
		24~28	28,000	17,000	15,000	○	"
		30~	33,000	17,000	15,000	○	"
		30~	96,000	50,000	26,000	○	元玉選木
	6.0	16~18	30,000	26,000	20,000	○	通し柱4寸
		20~22	28,000	23,000	20,000	○	" 5寸

△ 強気配 ○ 保合 ▼ 弱気配

県森連林業センター 木材市況

平成 23年1月13日

樹種	長さ m	末口径 cm	価格 1㎡当り			気配	摘要
			高値	中値	安値		
す き	3.0	14	8,000	7,000	7,000	○	柱目3.5寸
		16~18	11,000	10,000	9,000	○	" 4寸
		20~	12,000	10,000	9,000	○	中目
	4.0	11~13	8,000	7,000	6,000	○	母屋取り
		14	10,000	9,000	7,000	○	桁目3.5寸
		16~18	11,000	10,000	9,000	○	" 4寸
		20~22	12,000	11,000	9,000	○	中目
		24~28	13,000	12,000	10,000	○	"
		30~	15,000	12,000	10,000	○	"
	6.0	16~18	14,000	13,000	12,000	○	通し柱4寸
20~22		14,000	13,000	12,000	○	" 5寸	
ひ の き	2.0	20~	30,000	10,000	6,000	○	
	3.0	14	17,000	15,000	14,000	○	柱目3.5寸
		16~18	22,000	19,000	18,000	○	" 4寸
		20~22	23,000	19,000	17,000	○	中目
		24~28	23,000	17,000	16,000	○	"
		30~	40,000	30,000	25,000	○	元玉選木
	4.0	11~13	12,000	10,000	8,000	○	母屋取り
		14	17,000	15,000	14,000	○	土台目3.5寸
		16~18	22,000	20,000	18,000	○	" 4寸
		20~22	23,000	20,000	17,000	○	中目
		24~28	25,000	18,000	16,000	○	"
		30~	30,000	18,000	16,000	○	"
		30~	100,000	50,000	38,000	○	元玉選木
6.0	16~18	31,000	28,000	23,000	○	通し柱4寸	
	20~22	28,000	25,000	23,000	○	" 5寸	

△ 強気配 ○ 保合 ▼ 弱気配

県森連林業センター 木材市況

平成 23年2月24日

樹種	長さ m	末口径 cm	価格 1㎡当り			気配	摘要	
			高値	中値	安値			
す き	3.0	14	9,000	8,000	7,000	△	柱目3.5寸	
		16~18	11,000	10,000	9,000	○	" 4寸	
		20~	13,000	11,000	10,000	△	中目	
	4.0	11~13	9,000	8,000	7,000	△	母屋取り	
		14	10,000	9,000	8,000	○	桁目3.5寸	
		16~18	11,000	10,000	9,000	○	" 4寸	
		20~22	12,000	11,000	9,000	○	中目	
		24~28	13,000	12,000	10,000	○	"	
		30~	15,000	13,000	11,000	△	"	
	6.0	16~18	40,000	20,000	18,000	○	元玉選木	
20~22		14,000	13,000	12,000	○	通し柱4寸		
ひ の き	2.0	20~	30,000	12,000	8,000	△		
		3.0	14	18,000	16,000	14,000	△	柱目3.5寸
			16~18	22,000	20,000	19,000	△	" 4寸
			20~22	23,000	20,000	18,000	△	中目
			24~28	24,000	18,000	17,000	△	"
	30~	40,000	30,000	25,000	○	元玉選木		
	4.0	11~13	12,000	10,000	9,000	○	母屋取り	
		14	18,000	16,000	14,000	△	土台目3.5寸	
		16~18	22,000	20,000	19,000	○	" 4寸	
		20~22	23,000	20,000	18,000	○	中目	
24~28		25,000	19,000	17,000	△	"		
30~		30,000	19,000	17,000	△	"		
30~		100,000	50,000	38,000	○	元玉選木		
6.0	16~18	33,000	29,000	24,000	△	通し柱4寸		
	20~22	30,000	26,000	24,000	△	" 5寸		

△ 強気配 ○ 保合 ▼ 弱気配

県森連林業センター 木材市況

平成 23年3月17日

樹種	長さ m	末口径 cm	価格 1㎡当り			気配	摘要	
			高値	中値	安値			
す ぎ	3.0	14	9,000	8,000	7,000	○	柱目3.5寸	
		16~18	11,000	10,000	9,000	○	" 4寸	
		20~	13,000	11,000	10,000	○	中目	
	4.0	11~13	9,000	8,000	7,000	○	母屋取り	
		14	10,000	9,000	8,000	○	桁目3.5寸	
		16~18	11,000	10,000	9,000	○	" 4寸	
		20~22	12,000	11,000	9,000	○	中目	
		24~28	13,000	12,000	10,000	○	"	
		30~	15,000	13,000	11,000	○	"	
	6.0	16~18	40,000	20,000	18,000	○	元玉選木	
20~22		14,000	13,000	12,000	○	通し柱4寸		
ひ の ぎ	2.0	20~	30,000	12,000	8,000	○		
		3.0	14	18,000	16,000	14,000	○	柱目3.5寸
			16~18	22,000	20,000	19,000	○	" 4寸
			20~22	23,000	20,000	18,000	○	中目
			24~28	24,000	18,000	17,000	○	"
	30~	40,000	30,000	25,000	○	元玉選木		
	4.0	11~13	12,000	10,000	9,000	○	母屋取り	
		14	18,000	16,000	14,000	○	土台目3.5寸	
		16~18	22,000	20,000	19,000	○	" 4寸	
		20~22	23,000	20,000	18,000	○	中目	
24~28		25,000	19,000	17,000	○	"		
30~		30,000	19,000	17,000	○	"		
30~		100,000	50,000	38,000	○	元玉選木		
6.0	16~18	33,000	29,000	24,000	○	通し柱4寸		
	20~22	30,000	26,000	24,000	○	" 5寸		

△ 強気配 ○ 保合 ▼ 弱気配

県森連林業センター 木材市況

平成 23年4月14日

樹種	長さ m	末口径 cm	価格 1㎡当り			気配	摘要
			高値	中値	安値		
す き	3.0	14	9,000	8,000	7,000	○	柱目3.5寸
		16~18	12,000	10,000	9,000	○	" 4寸
		20~	13,000	11,000	10,000	○	中目
	4.0	11~13	9,000	8,000	7,000	○	母屋取り
		14	10,000	9,000	8,000	○	桁目3.5寸
		16~18	12,000	10,000	9,000	○	" 4寸
		20~22	13,000	11,000	9,000	○	中目
		24~28	14,000	12,000	10,000	○	"
		30~	15,000	13,000	11,000	○	"
	6.0	30~	40,000	20,000	18,000	○	元玉選木
16~18		14,000	13,000	12,000	○	通し柱4寸	
		20~22	14,000	13,000	12,000	○	" 5寸
ひ の き	2.0	20~	30,000	12,000	8,000	○	
	3.0	14	18,000	16,000	14,000	○	柱目3.5寸
		16~18	22,000	20,000	19,000	○	" 4寸
		20~22	23,000	20,000	18,000	○	中目
		24~28	24,000	18,000	17,000	○	"
		30~	40,000	30,000	25,000	○	元玉選木
	4.0	11~13	12,000	10,000	9,000	○	母屋取り
		14	18,000	16,000	14,000	○	土台目3.5寸
		16~18	22,000	20,000	19,000	○	" 4寸
		20~22	23,000	20,000	18,000	○	中目
24~28		25,000	19,000	17,000	○	"	
30~		30,000	19,000	17,000	○	"	
30~		100,000	50,000	38,000	○	元玉選木	
6.0	16~18	33,000	29,000	24,000	○	通し柱4寸	
	20~22	30,000	26,000	24,000	○	" 5寸	

△ 強気配 ○ 保合 ▼ 弱気配

県森連林業センター 木材市況

平成 23年5月19日

樹種	長さ m	末口径 cm	価格 1㎡当り			気配	摘要
			高値	中値	安値		
す ぎ	3.0	14	9,000	8,000	7,000	○	柱目3.5寸
		16~18	12,000	10,000	9,000	○	" 4寸
		20~	13,000	11,000	10,000	○	中目
	4.0	11~13	9,000	8,000	7,000	○	母屋取り
		14	10,000	9,000	8,000	○	桁目3.5寸
		16~18	12,000	10,000	9,000	○	" 4寸
		20~22	13,000	11,000	9,000	○	中目
		24~28	14,000	12,000	10,000	○	"
		30~	15,000	13,000	11,000	○	"
	6.0	30~	40,000	20,000	18,000	○	元玉選木
16~18		14,000	13,000	12,000	○	通し柱4寸	
		20~22	14,000	13,000	12,000	○	" 5寸
ひ の き	2.0	20~	30,000	12,000	8,000	○	
	3.0	14	17,000	15,000	13,000	▼	柱目3.5寸
		16~18	21,000	19,000	17,000	▼	" 4寸
		20~22	21,000	19,000	17,000	▼	中目
		24~28	22,000	18,000	17,000	○	"
		30~	40,000	30,000	25,000	○	元玉選木
	4.0	11~13	12,000	10,000	9,000	○	母屋取り
		14	17,000	15,000	13,000	▼	土台目3.5寸
		16~18	21,000	19,000	17,000	▼	" 4寸
		20~22	21,000	19,000	17,000	▼	中目
		24~28	22,000	18,000	17,000	▼	"
		30~	30,000	19,000	17,000	○	"
		30~	100,000	50,000	38,000	○	元玉選木
6.0	16~18	30,000	28,000	24,000	▼	通し柱4寸	
	20~22	30,000	26,000	24,000	○	" 5寸	

△ 強気配 ○ 保合 ▼ 弱気配

県森連林業センター 木材市況

平成 23年6月16日

樹種	長さ m	末口径 cm	価格 1㎡当り			気配	摘要
			高値	中値	安値		
す き	3.0	14	9,000	8,000	7,000	○	柱目3.5寸
		16~18	12,000	10,000	9,000	○	" 4寸
		20~	13,000	10,000	9,000	▼	中目
	4.0	11~13	9,000	8,000	7,000	○	母屋取り
		14	10,000	9,000	8,000	○	桁目3.5寸
		16~18	11,000	10,000	9,000	○	" 4寸
		20~22	12,000	10,000	9,000	▼	中目
		24~28	13,000	11,000	10,000	▼	"
		30~	15,000	12,000	10,000	▼	"
		30~	40,000	20,000	18,000	○	元玉選木
6.0	16~18	14,000	13,000	12,000	○	通し柱4寸	
	20~22	14,000	13,000	12,000	○	" 5寸	
ひ の き	2.0	20~	30,000	12,000	8,000	○	
	3.0	14	15,000	14,000	12,000	▼	柱目3.5寸
		16~18	20,000	18,000	16,000	▼	" 4寸
		20~22	20,000	17,000	16,000	▼	中目
		24~28	20,000	17,000	16,000	▼	"
		30~	40,000	30,000	25,000	○	元玉選木
	4.0	11~13	11,000	9,000	9,000	▼	母屋取り
		14	15,000	14,000	12,000	▼	土台目3.5寸
		16~18	20,000	18,000	16,000	▼	" 4寸
		20~22	20,000	17,000	16,000	▼	中目
		24~28	20,000	17,000	16,000	▼	"
		30~	30,000	19,000	17,000	○	"
		30~	100,000	50,000	38,000	○	元玉選木
6.0	16~18	30,000	28,000	24,000	○	通し柱4寸	
	20~22	30,000	26,000	24,000	○	" 5寸	

△ 強気配 ○ 保合 ▼ 弱気配